Vapour Blasting for Component Cleaning and Surface Preparation in Guernsey

A technical overview for marine, automotive, agricultural, engineering and restoration applications.

Overview

Alongside heat exchanger and oil cooler refurbishment services, Brehon Engineering provides quick-turnaround vapour blasting for suitable engineering components across the Bailiwick of Guernsey.

This surface preparation process supports cleaning, inspection, cosmetic restoration and pre-coating work where a consistent finish is required.




Vapour blasting, also known as wet blasting, uses a controlled mixture of water, compressed air and abrasive media to clean and finish surfaces. The water carries the abrasive media to the component and helps cushion the impact, allowing contaminants, oxidation, light corrosion, scale and surface residues to be removed while producing a controlled and even finish.

Because cleaning and surface conditioning occur in the same operation, vapour blasting is well suited to components that need to be degreased, refreshed, inspected or prepared for subsequent coating. A clean, consistent surface can also make wear, corrosion and defects easier to identify before parts are returned to service. Corrosion inhibitors can also be added to the process mixture if required to prevent rusting of cleaned parts. Compared with dry blasting, the process is gentler on components, can produce a more uniform finish and reduces the risk of embedded media.

Typical applications

The service is particularly suited to maintenance operators, engineers, restorers and specialist owners working with removable components from boats, small plant, classic cars, race cars, motorcycles and military vehicles. It is also useful for small batches, urgent repairs and seasonal maintenance where local turnaround is important. The emphasis is on controlled preparation of individual parts rather than whole vehicles, frames, body shells or large structural items.

Sector	Typical components	Common purpose
Marine engines	Engine water pumps, mountings, filter housings, heat exchangers, shaft couplings, pulleys, timing covers, raw water strainers, outboard engine brackets	Cleaning, descaling, inspection preparation and recoating support
Marine running gear	Bronze propellers, rudders, P-brackets, bronze skin fittings and propeller shaft rope cutters	Removal of fouling, scale and surface contamination; preparation for foul-release coatings where appropriate
Automotive and motorcycle	Aluminium castings, rocker covers, clutch covers, timing covers, carburettors, inlet manifolds & brake callipers	Cosmetic restoration, contamination removal and surface refresh
Agricultural and general engineering	Small plant and garden machinery parts, brackets, housings, guards, fittings and machinery components	Cleaning prior to inspection, painting, repair or reassembly
Restoration and heritage items	Cast iron antiques, decorative castings, hinges, lamps, cookware, fireside tools and garden implements	Careful removal of corrosion, paint residue and surface build-up prior to inspection, display or further treatment



^Marine engineering example: Beta Marine heat exchanger casing before and after vapour blasting, showing removal of heavy surface contamination from a removable engine component.




< Ford Sabre marine diesel heat exchanger end caps



Marine running gear benefits from careful surface preparation before later coating or maintenance work, particularly where fouling, scale or surface contamination need to be removed. It is also particularly good for exposing defects like cracking and corrosion, which may otherwise be hidden.

^Marine preparation example: stern gear after vapour blasting by Brehon Engineering and subsequent customer-applied foul-release coating.



Marine preparation example: Stripper rope cutter before and after fouling removal. Partially concealed electrolysis damage exposed on fixed cutter blade following vapour blasting (below)





^Automotive preparation example: vehicle 4 pot brake caliper prepared for refinishing



^Agricultural preparation example: CAV296 type fuel filter bowl prepared for refinishing

Surface finish and media selection

The finish produced by vapour blasting depends on the abrasive media, pressure, component material and starting condition of the surface. Finer media can be selected where a smoother or more cosmetic finish is required, while more aggressive media may be selected for heavier contamination, coating removal or stronger surface profiling.

For coating preparation, the objective is not simply to make a part look clean, but to create a suitable surface condition for the next process. Where coatings, paints or foul-release systems are being applied, the required profile should be considered before blasting so that the finish supports the intended coating system.

Service capability

Brehon Engineering exclusively uses British-designed and manufactured vapour blasting equipment to provide the most consistent and reliable process for local customers. Work can be discussed on a component-by-component basis, including material type, contamination, finish expectations, coating plans and turnaround requirements.

This approach is intended for customers who need controlled, workshop-based preparation of removable components. It is suitable for one-off parts, repeat maintenance items and small batches where consistency, care and local availability are important.

What we don't do

No full vehicle blasting

No large structural items

No blasting of complete assemblies (all assemblies must be dismantled prior to blasting)

No onsite blasting (workshop based only)

Pricing and turnaround

Pricing depends on size, material, contamination and finish required. Where the aim is to remove corrosion or failed coatings, we will usually recommend removing only the areas that have failed. There is little benefit in stripping sound coatings unless full substrate inspection is required. We can 'key' existing, sound finishes with the process, to reduce the need for hand finishing prior to any recoating if required.

Turnaround will depend on current workload, part condition and any preparation required before blasting. Photographs of parts are useful when discussing suitability, likely preparation time and indicative pricing before components are brought in. Most jobs can be returned within 5 working days of receipt, subject to current workload.

The service is intended for customers who require controlled, repeatable preparation of removable components as part of inspection, repair or coating work. By providing a consistent process and predictable turnaround, Brehon Engineering supports workshops, boatyards and engineering firms with reliable, workshop-based surface preparation carried out to a high technical standard.

Contact Details

Email: info@brehon-engineering.com

Telephone: +447781 162766